


Universal transmission jacks

Ideal for many undercar jobs. Much more than just a tool for removal and fitting of transmissions.

Keyword:
Compac TJ 525



Reversible transmission adaptor with saddle and rubber pad.




Ideal for handling and supporting exhaust systems, fuel tanks, etc.



Large transmission adapter. Practical fixing points.

	Model	Max (Kg)	A (mm)	B (mm)	C (mm)	D (mm)	Kg
①	TJ 300	300	1095	1930	465x465	60	28
②	TJ 325	325	1170	2020	595x535	80	30
③	TJ 525	525	1170	2020	595x535	80	32
④	TJ 1000	1000	1170	2000	595x535	100	38



Accessories

Use your Compac transmission jack for draining fluids

Fluid drain. Oil drain pan (18,9 litre) with adaptor for securing load. Ideal for fast and easy oil changes.



	Model
①	53004
②	53004
③	53005
④	53006

53004 / 53005 / 53006



Utility model protected.
(Schutzanspruch)

TJ 300/TJ 325 Nr. 53004 (Ø25)

TJ 525 Nr. 53005 (Ø30)

TJ 1000 Nr. 53006 (Ø35)


Extra Nr. 53003

Accessories

CBA-TRANS



Adjustable transmission tool tilts to enable positioning and safe handling of transmissions.



Telescopic transmission jacks



Reversible transmission adaptor with saddle. (TJ-T1300).

Accessories. (CBA-T-1000)




Triple extension cylinder with hard chrome pistons for low minimum height and extra long stroke.

Hard chrome pistons.


Two stage cylinder for extra low minimum height and extra long stroke.

Accessories. (CBA-Trans)

Ideal for demounting and mounting of engine/transmission assembled.



5



6

Two speed pump unit for fast approach of the piston to working area.



Accessories


Adjustable transmission tool tilts to enable positioning and safe handling of transmissions.

CBA-TRANS



Fits TJ-T 1300

Max (kg.)	Kg. (Weight)
500	21



CBA-T-1000



Fits TJ-T 2000

Max (kg.)	Kg. (Weight)
1000	25



Model	Max (Ton)	A (mm)	B (mm)	BB (mm)	BBB (mm)	C (mm)	D (mm)	Kg
5 TJ-T 1300	1.3/0.5	1000	2010	1500	---	760x640	100	65
6 TJ-T 2000	2.0/1.0	800	1910	1600	1240	1050x1050	150	165

